



Amend claims 1 and 6 as follows:

1. (amended) A hair shampoo composition comprising an effective amount of a deterative component, an effective amount of an emulsifier component and a polysiloxane component in an amount effective as a hair conditioner, the hair shampoo composition being clear, the polysiloxane component comprises at least one side chain component A having the general formula:




Q2 R<sub>1</sub> is an H, OH or a C1-C5 hydrocarbon; X is a C1-C10 hydrocarbon, a heteroatom or




Z is a heteroatom and d is 0 to about 6, the polysiloxane component has a viscosity of about 1 centistoke to about 1,000,000 centistoke.

6. (amended) A composition comprising:
- (a) about 0.01% to about 10% of an emulsifier component; and
  - (b) about 0.01% to about 10% of a polysiloxane component, the polysiloxane component comprises a side chain component A having the general formula:



R<sub>1</sub> is an H or a C1-C5 hydrocarbon; X is a C1-C10 hydrocarbon, a heteroatom or

B



Z is a heteroatom and d is 0 to about 6, the polysiloxane component has a viscosity of about 1 centistoke to about 1,000,000 centistoke and is effective as a hair conditioner in a hair shampoo, wherein the composition is formulated as a clear hair shampoo composition.

Add new claims 21 to 25 as follows:

21. (new) A method of making a clear deterrentive composition comprising:


combining (1) a microemulsion comprising an effective amount of an emulsifier component, a polysiloxane component in an amount effective as a hair conditioner in a hair shampoo and water

A<sup>4</sup>  
SUB  
B2


A

Pub B2  
and (2) an effective amount of a deterative component at conditions effective to form a clear hair shampoo composition.

22. (new) The method of claim 21 wherein the polysiloxane component comprises at least one side chain component A having the general formula:




$R_1$  is an H, OH or a C1-C5 hydrocarbon; X is a C1-C10 hydrocarbon, a heteroatom or




$Z$  is a heteroatom and  $d$  is 0 to about 6, the polysiloxane component has a viscosity of about 1 centistoke to about 1,000,000 centistoke.

A

23. (new) The method of claim 22 wherein the side chain component A has the general formula:




wherein  $R_1$ ,  $R_2$ ,  $R_3$ ,  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ ,  $R_8$  and  $R_9$  are independently an H, a C1-C10 hydrocarbon, an ester, carboxyl or a halogen;  $X$  is a C1-C10 hydrocarbon, a heteroatom or



$Z$  is a heteroatom and  $d$  is 0 to about 6.

24. (new) The method of claim 22 wherein the side chain component A has the general formula:



A